1

3 4

Guest Editorial Special Section on Industrial and Commercial Demand Response

ONRESIDENTIAL (industrial and commercial) cus-5 tomers have great potentials in providing flexibility for 6 7 power systems through diverse demand response (DR) programs. Intelligent energy management can be carried out with 8 DR in industrial and commercial facilities, especially if on-9 site control, information, and communication technologies are 10 available, enabling also the inherent automation capabilities of 11 12 heating, ventilation, and air conditioning systems. In the dawn of the Smart Grid era, with increasing distributed generation 13 and the conversion of traditionally passive consumers to newly 14 active energy players in the market, DR is being effectively 15 considered for outage management and network reinforcement 16 17 deferral.

The industrial and commercial potential of DR is not yet 18 completely understood, especially regarding the emerging ad-19 vanced technologies associated with the Smart Grid. Advances 20 in smart meter technology that allow monitoring and controlling 21 responsive loads in near real time will also be critical enablers 22 of DR potentials. It can be more complex to implement DR 23 for industrial loads if compared to residential loads mainly due 24 to the reliability management that is more vital for industrial 25 plants. An interruption of service may lead to stopping produc-26 tion or violating operational constraints of the plant. Industrial 27 28 processes can be interdependent and correlated, which makes it difficult to divide and conquer separately. The reason is that sev-29 eral manufacturing processes are critically dependent on time 30 and must be scheduled with high precision. 31

Despite these technical challenges, DR solutions, if properly implemented, can reduce costs related to energy consumption and increase renewable sources exploitation. This Special Section aims at providing a forum to discuss the most recent advances on industrial and commercial DR.

In response to the call for papers for this Special Section,
54 full papers were received and thoroughly reviewed, out of
which 11 high-quality manuscripts were accepted (from USA,
Italy, Australia, China, South Korea, India, Brazil, Germany,
Iran, and UK) and included in this Special Section.

In the first paper, "Internet-of-Things Hardware-in-the-Loop
Architecture for Providing Frequency Regulation With Demand
Response" by Thornton *et al.*, the authors present an architecture
testbed for providing DR(telemetric monitoring and actuation
of loads).

In the second paper, "Planning Energy Storage and Photovoltaic Panels for Demand Response With Heating Ventilation 48 and Air Conditioning Systemss" by Alhaider and Fan, the authors consider an integrated battery energy storage system, photovoltaic panels, and heating, ventilation, and air-conditioning 51 systems to participate in demand response. 52

In the third paper, "Demand-Side Regulation Provision From Industrial Loads Integrated With Solar PV Panels and Energy Storage System for Ancillary Services" by Chau *et al.*, the authors propose an integral scheduling and control method for industrial plants with distributed solar energy resources for DR and ancillary service provision.

In the fourth paper, "Power Market Load Forecasting on Neural Network With Beneficial Correlated Regularization" by Xu *et al.*, the authors propose a beneficial correlated regularization for neural network load prediction.

In the fifth paper, "Optimal Price-Based Demand Response 63 of HVAC Systems in Multizone Office Buildings Considering 64 Thermal Preferences of Individual Occupants Buildings" by 65 Kim, the author proposes a price-based DR strategy for multizone office buildings to co-optimize the energy cost of heating, 67 ventilating, and air-conditioning units and the thermal discomfort levels of occupants. 69

In the sixth paper, "A Heuristic-Based Smart HVAC Energy 70 Management Scheme for University Buildings" by Jindal *et al.*, 71 the authors shed light on how the university's heating, ventilation, and air-conditioning systems can be managed by taking 73 into account various feasibility constraints in the university to improve its energy utilization. 75

In the seventh paper, "Data Center Control Strategy for Participation in Demand Response Programs" by Cupelli *et al.*, the authors present a framework for the optimal operation of data centers, leveraging their heating, ventilation, and air-conditioning unit, delay-tolerant information technology workload, and battery storage system for participating in DR programs. 81

In the eight paper, "Commercial Demand Response Programs in Bidding of a Technical Virtual Power Plant" by Pourghaderi *et al.*, the authors propose a technical virtual power plant that aggregates the DR potential of commercial buildings and other distributed energy resources along the distribution network. 87

In the ninth paper, "Optimal Demand Response Scheduling for Water Distribution Systems" by Oikonomou *et al.*, the authors propose a comprehensive framework for optimizing the 90

Digital Object Identifier 10.1109/TII.2018.2869296

^{1551-3203 © 2018} IEEE. Personal use is permitted, but republication/redistribution requires IEEE permission. See http://www.ieee.org/publications_standards/publications/rights/index.html for more information.

participation of water distribution system operators in DR andfrequency regulation markets.

In the tenth paper, "Quantifying the Potential Economic Benefits of Flexible Industrial Demand in the European Power System" by Papadaskalopoulos *et al.*, the authors present a whole-system modeling framework to comprehensively quantify the potential economic benefits of flexible industrial demand for the European power system.

In the eleventh and final paper, "Investigation of Carrier 99 Demand Response Uncertainty on Energy Flow of Renewable-100 101 Based Integrated Electricity–Gas–Heat Systems" bv Massrur et al., the authors present a probabilistic tool for 102 the energy flow analysis of an integrated multienergy carrier 103 system considering demand response, renewable energy 104 sources, and various load types uncertainties. 105

The Guest Editorial Board would like to thank the IEEE Industrial Electronics Society for providing this venue for us to organize this Special Section, the authors for their innovative and valuable contributions, and the reviewers for their prompt and comprehensive feedback and suggestions.

Special thanks go to the Prof. R. C. Luo, EiC of the IEEE 111 TRANSACTIONS ON INDUSTRIAL INFORMATICS, for his leader-112 ship and guidance, and also to Lisa, Linda, and all the TII Edi-113 torial team, for the excellent and continuous support. The Guest 114 Editors would like to thanks the FEDER funds through 115 COMPETE 2020 and by Portuguese funds through FCT, un-116 der Projects SAICT-PAC/0004/2015 - POCI-01-0145-FEDER-117 016434 and 02/SAICT/2017 - POCI-01-0145-FEDER-029803. 118

We hope that you find this Special Section interesting and 119 useful, serving also as a reference for future work in the field. 120 Thank you. 121

J. P. S. CATALÃO, Corresponding Guest Editor	122
Faculty of Engineering of the University of	123
Porto and INESC TEC	124
Porto 4200-465, Portugal	125
catalao@fe.up.pt	126
P. SIANO, Guest Editor	127
University of Salerno	128
Salerno 84084, Italy	129
F. LI, Guest Editor	130
The University of Tennessee	131
Knoxville, TN 37996 USA	132
M. A. S. MASOUM, Guest Editor	133
Utah Valley University	134
Orem, UT 84058 USA	135
J. AGHAEI, Guest Editor	136
Shiraz University of Technology	137
Shiraz 71557-13876, Iran	138

João P. S. Catalão (M'04-SM'12) received the M.Sc. degree from the Instituto Superior Técnico, Lisbon, Portugal, in 2003, and the Ph.D. degree and Habilitation for Full Professor ("Agregação") from the University of Beira Interior, Covilha, Portugal, in 2007 and 2013, respectively.

He is currently a Professor with the Faculty of Engineering of the University of Porto, Porto, Portugal, and Researcher with INESC TEC, INESC-ID/IST-UL, and C-MAST/UBI.

Dr. Catalão is an Editor for the IEEE TRANSACTIONS ON SMART GRID, an Editor for the IEEE TRANSACTIONS ON POWER SYSTEMS, and a Subject Editor for the IET RENEWABLE POWER GENERATION. From 2011 to 2018 (seven years) he was an Editor for the IEEE TRANSACTIONS ON SUSTAINABLE ENERGY. His research interests include power system operations and planning, hydro and thermal scheduling, wind and price forecasting, distributed renewable generation, demand response, and smart grids.



Pierluigi Siano (M'09–SM'14) received the M.Sc. degree in electronic engineering and the Ph.D. degree in information and electrical engineering from the University of Salerno, Fisciano, Italy, in 2001 and 2006, respectively.

He is an Associate Professor with accreditation for Full Professor of Electrical Energy Engineering with the Department of Industrial Engineering, University of Salerno. He has coauthored more than 330 papers including more than 170 international journal papers. His research interests include centered on demand response, on the integration of distributed energy resources in smart grids and on planning, and management of power systems.

Dr. Siano is a Chair of the Technical Committee on Smart Grids and a member of the Technical Committee on Renewable Energy Systems of the IEEE Industrial Electronics Society. He is an Associate Editor for the IEEE TRANSACTIONS ON INDUSTRIAL INFORMATICS, the IEEE TRANSACTIONS ON INDUSTRIAL ELECTRONICS, and the IET RENEWABLE POWER GENERATION.



Fangxing Li (S'98–M'01–SM'05-F'17) is also known as Fran Li. He received the B.S.E.E. and 164 M.S.E.E. degrees from Southeast University, Nanjing, China, in 1994 and 1997, respectively, and 165 the Ph.D. degree from Virginia Polytechnic Institute and State University, Blacksburg, VA, USA, 166 in 2001.

He is currently the James McConnell Professor with The University of Tennessee, Knoxville, 168 TN, USA. His research interests include renewable energy integration, demand response, power 169 markets, power system control, and power system computing. 170

Dr. Li is an Editor for the IEEE TRANSACTIONS ON POWER SYSTEMS and a Consulting Editor 171 for the IEEE TRANSACTIONS ON SUSTAINABLE ENERGY. 172

173

186



Mohammad A. S. Masoum (SM'05) received the B.S., M.S., and the Ph.D. degrees from the 174 University of Colorado, Boulder, CO, USA, in 1983, 1985, and 1991, respectively. 175

He has authored/coauthored more than 300 papers including 120 journal articles. He is currently a Faculty Member with the Department of Engineering, Utah Valley University, Orem, 177 UT, USA. He is the coauthor of "*Power Quality in Power Systems and Electrical Machines*" 178 (Elsevier, 2008 and 2015) and "*Power Conversion of Renewable Energy Systems*" (Springer, 179 2011 and 2012). His research interests include application of artificial intelligence in smart grids 180 with high penetrations of renewable distributed generations to improve performance, stability, 181 and power quality. 182

Dr. Masoum is an Editor for the IEEE TRANSACTIONS ON SMART GRID and the IEEE POWER 183 ENGINEERING LETTERS and a Guest Editor for the IEEE TRANSACTIONS ON INDUSTRIAL INFOR-MATICS and the IET RENEWABLE POWER GENERATION. 185



Jamshid Aghaei (M'12–SM'15) received the M.Sc. and Ph.D. degrees from the Iran University 187 of Science and Technology, Tehran, Iran, in 2005 and 2009, respectively. 188

He is currently an Associate Professor with the Shiraz University of Technology, Shiraz, 189 Iran, and also a Research Fellow with the Norwegian University of Science and Technology, 190 Trondheim, Norway. He is an Associate Editor for the *IET Renewable Power Generation* and 191 *IET Generation Transmission and Distribution*. His research interests include renewable energy 192 systems, smart grids, electricity markets and power system operation, optimization, and planning. 193

3

1

2

3

Guest Editorial Special Section on Industrial and Commercial Demand Response

ONRESIDENTIAL (industrial and commercial) cus-5 tomers have great potentials in providing flexibility for 6 7 power systems through diverse demand response (DR) programs. Intelligent energy management can be carried out with 8 DR in industrial and commercial facilities, especially if on-9 site control, information, and communication technologies are 10 available, enabling also the inherent automation capabilities of 11 12 heating, ventilation, and air conditioning systems. In the dawn of the Smart Grid era, with increasing distributed generation 13 and the conversion of traditionally passive consumers to newly 14 active energy players in the market, DR is being effectively 15 considered for outage management and network reinforcement 16 17 deferral.

The industrial and commercial potential of DR is not yet 18 completely understood, especially regarding the emerging ad-19 vanced technologies associated with the Smart Grid. Advances 20 in smart meter technology that allow monitoring and controlling 21 responsive loads in near real time will also be critical enablers 22 of DR potentials. It can be more complex to implement DR 23 for industrial loads if compared to residential loads mainly due 24 to the reliability management that is more vital for industrial 25 plants. An interruption of service may lead to stopping produc-26 tion or violating operational constraints of the plant. Industrial 27 28 processes can be interdependent and correlated, which makes it difficult to divide and conquer separately. The reason is that sev-29 eral manufacturing processes are critically dependent on time 30 and must be scheduled with high precision. 31

Despite these technical challenges, DR solutions, if properly implemented, can reduce costs related to energy consumption and increase renewable sources exploitation. This Special Section aims at providing a forum to discuss the most recent advances on industrial and commercial DR.

In response to the call for papers for this Special Section,
54 full papers were received and thoroughly reviewed, out of
which 11 high-quality manuscripts were accepted (from USA,
Italy, Australia, China, South Korea, India, Brazil, Germany,
Iran, and UK) and included in this Special Section.

In the first paper, "Internet-of-Things Hardware-in-the-Loop
Architecture for Providing Frequency Regulation With Demand
Response" by Thornton *et al.*, the authors present an architecture
testbed for providing DR(telemetric monitoring and actuation
of loads).

In the second paper, "Planning Energy Storage and Photovoltaic Panels for Demand Response With Heating Ventilation 48 and Air Conditioning Systemss" by Alhaider and Fan, the authors consider an integrated battery energy storage system, photovoltaic panels, and heating, ventilation, and air-conditioning 51 systems to participate in demand response. 52

In the third paper, "Demand-Side Regulation Provision From Industrial Loads Integrated With Solar PV Panels and Energy Storage System for Ancillary Services" by Chau *et al.*, the authors propose an integral scheduling and control method for industrial plants with distributed solar energy resources for DR and ancillary service provision. 58

In the fourth paper, "Power Market Load Forecasting on Neural Network With Beneficial Correlated Regularization" by Xu *et al.*, the authors propose a beneficial correlated regularization for neural network load prediction.

In the fifth paper, "Optimal Price-Based Demand Response 63 of HVAC Systems in Multizone Office Buildings Considering 64 Thermal Preferences of Individual Occupants Buildings" by 65 Kim, the author proposes a price-based DR strategy for multizone office buildings to co-optimize the energy cost of heating, 67 ventilating, and air-conditioning units and the thermal discomfort levels of occupants. 69

In the sixth paper, "A Heuristic-Based Smart HVAC Energy 70 Management Scheme for University Buildings" by Jindal *et al.*, 71 the authors shed light on how the university's heating, ventilation, and air-conditioning systems can be managed by taking 73 into account various feasibility constraints in the university to improve its energy utilization. 75

In the seventh paper, "Data Center Control Strategy for Participation in Demand Response Programs" by Cupelli *et al.*, the authors present a framework for the optimal operation of data centers, leveraging their heating, ventilation, and air-conditioning unit, delay-tolerant information technology workload, and battery storage system for participating in DR programs.

In the eight paper, "Commercial Demand Response Programs in Bidding of a Technical Virtual Power Plant" by Pourghaderi *et al.*, the authors propose a technical virtual power plant that aggregates the DR potential of commercial buildings and other distributed energy resources along the distribution network. 87

In the ninth paper, "Optimal Demand Response Scheduling for Water Distribution Systems" by Oikonomou *et al.*, the authors propose a comprehensive framework for optimizing the 90

Digital Object Identifier 10.1109/TII.2018.2869296

^{1551-3203 © 2018} IEEE. Personal use is permitted, but republication/redistribution requires IEEE permission. See http://www.ieee.org/publications_standards/publications/rights/index.html for more information.

participation of water distribution system operators in DR andfrequency regulation markets.

In the tenth paper, "Quantifying the Potential Economic Benefits of Flexible Industrial Demand in the European Power System" by Papadaskalopoulos *et al.*, the authors present a whole-system modeling framework to comprehensively quantify the potential economic benefits of flexible industrial demand for the European power system.

In the eleventh and final paper, "Investigation of Carrier 99 Demand Response Uncertainty on Energy Flow of Renewable-100 Integrated 101 Based Electricity–Gas–Heat Systems" bv Massrur et al., the authors present a probabilistic tool for 102 the energy flow analysis of an integrated multienergy carrier 103 system considering demand response, renewable energy 104 sources, and various load types uncertainties. 105

The Guest Editorial Board would like to thank the IEEE Industrial Electronics Society for providing this venue for us to organize this Special Section, the authors for their innovative and valuable contributions, and the reviewers for their prompt and comprehensive feedback and suggestions.

Special thanks go to the Prof. R. C. Luo, EiC of the IEEE 111 TRANSACTIONS ON INDUSTRIAL INFORMATICS, for his leader-112 ship and guidance, and also to Lisa, Linda, and all the TII Edi-113 torial team, for the excellent and continuous support. The Guest 114 Editors would like to thanks the FEDER funds through 115 COMPETE 2020 and by Portuguese funds through FCT, un-116 der Projects SAICT-PAC/0004/2015 - POCI-01-0145-FEDER-117 016434 and 02/SAICT/2017 - POCI-01-0145-FEDER-029803. 118

We hope that you find this Special Section interesting and 119 useful, serving also as a reference for future work in the field. 120 Thank you. 121

J. P. S. CATALÃO, Corresponding Guest Editor	· 122
Faculty of Engineering of the University of	123
Porto and INESC TEC	124
Porto 4200-465, Portugal	125
catalao@fe.up.pt	126
P. SIANO, Guest Editor	127
University of Salerno	128
Salerno 84084, Italy	129
F. LI, Guest Editor	130
The University of Tennessee	131
Knoxville, TN 37996 USA	132
M. A. S. MASOUM, Guest Editor	133
Utah Valley University	134
Orem, UT 84058 USA	135
J. AGHAEI, Guest Editor	136
Shiraz University of Technology	137
Shiraz 71557-13876, Iran	138

João P. S. Catalão (M'04-SM'12) received the M.Sc. degree from the Instituto Superior Técnico, Lisbon, Portugal, in 2003, and the Ph.D. degree and Habilitation for Full Professor ("Agregação") from the University of Beira Interior, Covilha, Portugal, in 2007 and 2013, respectively.

He is currently a Professor with the Faculty of Engineering of the University of Porto, Porto, Portugal, and Researcher with INESC TEC, INESC-ID/IST-UL, and C-MAST/UBI.

Dr. Catalão is an Editor for the IEEE TRANSACTIONS ON SMART GRID, an Editor for the IEEE TRANSACTIONS ON POWER SYSTEMS, and a Subject Editor for the IET RENEWABLE POWER GENERATION. From 2011 to 2018 (seven years) he was an Editor for the IEEE TRANSACTIONS ON SUSTAINABLE ENERGY. His research interests include power system operations and planning, hydro and thermal scheduling, wind and price forecasting, distributed renewable generation, demand response, and smart grids.



Pierluigi Siano (M'09–SM'14) received the M.Sc. degree in electronic engineering and the Ph.D. degree in information and electrical engineering from the University of Salerno, Fisciano, Italy, in 2001 and 2006, respectively.

He is an Associate Professor with accreditation for Full Professor of Electrical Energy Engineering with the Department of Industrial Engineering, University of Salerno. He has coauthored more than 330 papers including more than 170 international journal papers. His research interests include centered on demand response, on the integration of distributed energy resources in smart grids and on planning, and management of power systems.

Dr. Siano is a Chair of the Technical Committee on Smart Grids and a member of the Technical Committee on Renewable Energy Systems of the IEEE Industrial Electronics Society. He is an Associate Editor for the IEEE TRANSACTIONS ON INDUSTRIAL INFORMATICS, the IEEE TRANSACTIONS ON INDUSTRIAL ELECTRONICS, and the IET RENEWABLE POWER GENERATION.



Fangxing Li (S'98–M'01–SM'05-F'17) is also known as Fran Li. He received the B.S.E.E. and 164 M.S.E.E. degrees from Southeast University, Nanjing, China, in 1994 and 1997, respectively, and 165 the Ph.D. degree from Virginia Polytechnic Institute and State University, Blacksburg, VA, USA, 166 in 2001.

He is currently the James McConnell Professor with The University of Tennessee, Knoxville, 168 TN, USA. His research interests include renewable energy integration, demand response, power 169 markets, power system control, and power system computing. 170

Dr. Li is an Editor for the IEEE TRANSACTIONS ON POWER SYSTEMS and a Consulting Editor 171 for the IEEE TRANSACTIONS ON SUSTAINABLE ENERGY. 172

173

186



Mohammad A. S. Masoum (SM'05) received the B.S., M.S., and the Ph.D. degrees from the 174 University of Colorado, Boulder, CO, USA, in 1983, 1985, and 1991, respectively. 175

He has authored/coauthored more than 300 papers including 120 journal articles. He is currently a Faculty Member with the Department of Engineering, Utah Valley University, Orem, 177 UT, USA. He is the coauthor of "*Power Quality in Power Systems and Electrical Machines*" 178 (Elsevier, 2008 and 2015) and "*Power Conversion of Renewable Energy Systems*" (Springer, 179 2011 and 2012). His research interests include application of artificial intelligence in smart grids 180 with high penetrations of renewable distributed generations to improve performance, stability, 181 and power quality. 182

Dr. Masoum is an Editor for the IEEE TRANSACTIONS ON SMART GRID and the IEEE POWER 183 ENGINEERING LETTERS and a Guest Editor for the IEEE TRANSACTIONS ON INDUSTRIAL INFOR-MATICS and the IET RENEWABLE POWER GENERATION. 185



Jamshid Aghaei (M'12–SM'15) received the M.Sc. and Ph.D. degrees from the Iran University 187 of Science and Technology, Tehran, Iran, in 2005 and 2009, respectively. 188

He is currently an Associate Professor with the Shiraz University of Technology, Shiraz, 189 Iran, and also a Research Fellow with the Norwegian University of Science and Technology, 190 Trondheim, Norway. He is an Associate Editor for the *IET Renewable Power Generation* and 191 *IET Generation Transmission and Distribution*. His research interests include renewable energy 192 systems, smart grids, electricity markets and power system operation, optimization, and planning. 193